


CLAIMS

1. A compound of formula (I):



(I)

wherein:

A represents an optionally substituted phenyl, or an optionally substituted 5- or 6-membered heterocyclyl ring, or an optionally substituted bicyclic heterocyclyl group;

R^1 represents CO_2R^4 , $CONR^5R^6$, $CH_2CO_2R^4$, optionally substituted alkyl, optionally substituted alkenyl, optionally substituted SO_2 alkyl, $SO_2NR^5R^6$, $NR^5CONR^5R^6$, $CONR^5R^6$, 2H-tetrazol-5-yl-methyl or optionally substituted heterocyclyl;

R^2 independently represents halo, optionally substituted alkyl, CN, SO_2R^5 , SR^5 , NO_2 , optionally substituted aryl, $CONR^5R^6$ or optionally substituted heteroaryl;

R^x represents optionally substituted alkyl wherein 1 or 2 of the non-hydrogen atoms may optionally be replaced by a group independently selected from:

wherein n is 0, 1 or 2; or R^x may be optionally substituted CQ_2 -hetero- or optionally substituted CQ_2 -phenyl wherein Q is independently selected from hydrogen and CH_3 ;

R^4 represents hydrogen or an optionally substituted alkyl;

R^5 represents hydrogen or an optionally substituted alkyl;

R^6 represents hydrogen or an optionally substituted alkyl, optionally substituted SO_2 aryl, optionally substituted SO_2 heterocyclyl group, CN, optionally substituted CH_2 aryl or COR^7 ;

R^7 represents hydrogen, optionally substituted heteroaryl or optionally substituted aryl;

R^8 and R^9 independently represent hydrogen or alkyl; and

n is an integer from 0 to 2;

wherein when A is a 6-membered ring the R^1 and cyclopentene group are attached to carbon atoms 1,2-, 1,3- or 1,4- relative to each other, and when A is a five-membered ring or bicyclic heterocyclyl group the R^1 and cyclopentene group are attached to substitutable carbon atoms 1,2- or 1,3- relative to each other; or pharmaceutically acceptable derivatives thereof.


2. A compound according to claim 1 wherein A is selected from phenyl, pyridyl, pyridazinyl, pyrazinyl and pyrimidinyl, all of which may be optionally substituted.

3. A compound according to claim 1 or claim 2 wherein R^1 represents CO_2R^4 , wherein R^4 is hydrogen or C_{1-4} alkyl.

4. A compound according to any one of claims 1 to 3 wherein A is a six membered ring and R¹ is attached to the group A in the 3 position relative to the bond attaching A to the cyclopentene ring.

5

5. A compound according to any one of claims 1 to 4 which is a compound of formula (II):



(II)

10 wherein:

R¹ is CO₂R⁴;

R² is halo, optionally substituted C₁₋₆alkyl, C₁₋₆alkenyl, and CF₃, CN, SC₁₋₆alkyl, or SO₂C₁₋₆alkyl;

R³ independently represents halo, optionally substituted OC₁₋₆alkyl, or optionally substituted C₁₋₆alkyl;

15

m is an integer from 0 to 3;

n is an integer from 0 to 2;

W, X, Y and Z each represents CR¹² or N wherein at least two of W, X, Y or Z is CR¹²; and when each of W, X, Y, and Z is CR¹² then each R¹² is independently selected from

20

hydrogen, halogen, NR⁵R⁶, NHCOC₁₋₆alkyl, NHSO₂C₁₋₆alkyl, C₁₋₆alkyl and NR¹⁰R¹¹, and

when at least one of W, X, Y and Z represents N then each R¹² is selected from hydrogen or NH₂;

or pharmaceutically acceptable derivatives thereof.

25

6. A compound selected from:

{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;

3-[2-[2-(benzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

3-[2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

30

3-[2-[5-bromo-2-(4-Chlorobenzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

3-[2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

3-[2-[5-bromo-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

3-[2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl]-benzoic acid;

- 3-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 5-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(3,4-dichlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-chloro-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(4-methoxybenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-bromo-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-trifluoromethyl-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-trifluoromethyl-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 5-{2-[5-trifluoromethyl-2-(cyclohexylmethoxy)-phenyl]-cyclopent-1-enyl}-nicotinic acid;
 6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;
 6-{2-[5-chloro-2-(4-chloro-2-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;
 6-{2-[5-chloro-2-(4-chlorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;
 6-{2-[5-chloro-2-(4-fluorobenzyloxy)-phenyl]-cyclopent-1-enyl}-pyridine-2-carboxylic acid;
 3-{2-[5-methylsulfanyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-methylsulfonyl-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-methylsulfanyl-2-(4-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-methanesulfonyl-2-(4-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-methylsulfanyl-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-methanesulfonyl-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[2-(4-chloro-2-fluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[2-(4-methoxy-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-cyano-2-(benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 3-{2-[5-cyano-2-(2,4-difluoro-benzyloxy)-phenyl]-cyclopent-1-enyl}-benzoic acid;
 2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
 6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
 6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;

- 6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic
acid;
2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;
5 4-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic
acid;
4-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminopyrazine-2-carboxylic
acid;
10 2-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-
carboxylic acid;
2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
6-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
3-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;
15 6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
6-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic
acid;
6-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-
carboxylic acid;
20 3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;
3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic acid;
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-aminobenzoic
acid;
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic acid;
25 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-acetamidobenzoic
acid;
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-6-
acetamidobenzoic acid;
3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;
30 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-
propionamidobenzoic acid;
3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-
propionamidobenzoic acid;
3-{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;
35 3-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic acid;
3-{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-propionamidobenzoic
acid;
5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}nicotinic acid N-oxide;
5-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;
40 5-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic
acid;

- 5-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(propionamido)benzoic acid;
- 5-{2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl}-2-methylbenzoic acid;
- 5-{2-(2-benzyloxy-5-chlorophenyl)-cyclopent-1-enyl}-2-propionylaminobenzoic acid;
- 5 2-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-chloro-2-benzyloxyphenyl]cyclopent-1-enyl}isonicotinic acid;
- 2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}isonicotinic acid;
- 5-{2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl}-3-propionylaminobenzoic acid;
- 10 5-{2-(2-benzyloxy-5-chlorophenyl)cyclopent-1-enyl}-3-isobutyrylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 15 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-pyrrolidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 20 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxo-piperidin-1-yl)benzoic acid;
- 6-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 25 6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 30 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-aminobenzoic acid;
- 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 35 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;
- 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;
- 40 acid
- 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;

- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;
 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;
 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-acetamidobenzoic acid;
 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-acetamidobenzoic acid;
 5 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;
 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;
 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;
 10 5-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;
 5-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;
 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methylaminobenzoic acid;
 15 2{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;
 2{2-[5-bromo-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;
 2{2-[5-bromo-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-4-carboxylic acid;
 2-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-5-amino-
 20 6-carboxylic acid;
 2-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-aminopyrazine-6-carboxylic acid;
 3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
 3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
 6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
 25 5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(morpholin-4-yl)benzoic acid;
 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopenten-1-enyl}-3-morpholin-4-ylbenzoic acid;
 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopenten-1-enyl}-3-(morpholin-4-yl)benzoic acid;
 30 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylaminobenzoic acid;
 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-methanesulphonylamino benzoic acid;
 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-diethylaminobenzoic acid;
 35 6-{2-[5-methyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
 6-{2-[5-methyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyrazine-2-carboxylic acid;
 6-{2-[5-fluoro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
 6-{2-[5-fluoro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
 6-{2-[5-fluoro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
 40 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;
 6-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;

- 6-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridazine-4-carboxylic acid;
- 5-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;
- 5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-methylbenzoic acid;
- 5-[2-(2-(4-fluorobenzyloxy)-5-chlorophenyl)cyclopent-1-enyl]-2-fluorobenzoic acid;
- 5-[2-(2-benzyloxy)-5-chlorophenyl]cyclopent-1-enyl]-2-fluorobenzoic acid;
- 5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}nicotinic acid;
- 4-{2-[2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;
- 4-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}benzoic acid;
- 3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-methylbenzoic acid;
- 3-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-chloro-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-chloro-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-fluorobenzoic acid;
- 2-{2-[5-bromo-2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;
- 2-{2-[2-(4-fluorobenzyloxy)phenyl]-cyclopent-1-enyl}-isonicotinic acid;
- 6-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(4-bromobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2-chloro-4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,4,6-trifluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,6-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2-fluoro-4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(3,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 6-{2-[5-chloro-2-(2,3-difluorobenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;
- 6-{2-[5-chloro-2-(4-methylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid sodium salt;
- 6-{2-[5-chloro-2-(4-trifluoromethylbenzyloxy)phenyl]cyclopent-1-enyl}pyridine-2-carboxylic acid;
- 3-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-5-aminobenzoic acid;
- 2-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}pyrimidine-4-carboxylic acid;
- 5-{2-[5-methyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-acetamidobenzoic acid;

3-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-6-fluorobenzoic acid;

5-{2-[5-trifluoromethyl-2-(benzyloxy)phenyl]cyclopent-1-enyl}-2-methylbenzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopyrrolidin-1-yl)benzoic acid;

5-{2-[5-chloro-2-(2,4-fluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;

10 5-{2-[5-chloro-2-(benzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid;
and

5-{2-[5-trifluoromethyl-2-(2,4-difluorobenzyloxy)phenyl]cyclopent-1-enyl}-3-(2-oxopiperidin-1-yl)benzoic acid

and pharmaceutically acceptable derivatives thereof.

15

7. A pharmaceutical composition comprising a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof together with a pharmaceutical carrier and/or excipient.

20

8. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for use as an active therapeutic substance.

9. A compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for use in the treatment of a condition which is mediated by the action of PGE₂ at EP₁ receptors.

25

10. A method of treating a human or animal subject suffering from a condition which is mediated by the action of PGE₂ at EP₁ receptors which comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

30

11. A method of treating a human or animal subject suffering from a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder, which method comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

35

12. A method of treating a human or animal subject suffering from inflammatory pain, neuropathic pain or visceral pain which method comprises administering to said subject an effective amount of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.

40

13. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment of a condition which is mediated by the action of PGE₂ at EP₁ receptors.
- 5 14. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment or prevention of a condition such as a pain, inflammatory, immunological, bone, neurodegenerative or renal disorder.
- 10 15. Use of a compound according to any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for the manufacture of a medicament for the treatment or prevention of a condition such as inflammatory pain, neuropathic pain or visceral pain.
- 15 16. A compound of formula (I) or a pharmaceutically acceptable salt or solvate thereof, according to claim 1, substantially as hereinbefore described with reference to any one of the Examples.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.